

[Home](#) x [Install](#) x [Full Index](#) x [Tutorial](#) x [EnumerateControls](#) x [FindOutTableExists](#) x [UseVariablesInSQL](#) x [CreateRecordsetFrom](#) x [AddRecordToRecordset](#) x [CountRecordsRecordset](#) x [LimitsRecordset](#) x [MixAccess2baseAndUNO](#) ! [User's Guide](#) x [AllForms](#) x [DatabaseWindow](#) x [ShortcutNotationMore](#) x [DLookupSamples](#) x [CalculatedField](#) x [MultiSelectListBoxSelectForm](#) x [FillAutoControlValue](#) x [CarryToNewRecord](#) x [BrowseThruControls](#) x [TipTextForLongValues](#) x [AskBeforeSaving](#) x [Sync2Combos](#) x [ZoomOnImage](#) x [AddAllToBox](#) x [KeepFormsSynchro](#) x [SelectListBoxOnFirstLetters](#) x [MoveItemsBetweenListboxes](#) x [SimulateTabbed](#) x [SearchStandalone](#) x [CalculatorDialog](#) x [ExploreTables](#) x [ExtractDataTable](#) x [FindPositionRecordset](#) x [DMedian function](#) x [DPercentile](#) x [ImportImages](#) x [ExportImages](#) x [CrossTabQuery](#) x [DbaccessFromCalc](#) x [Standalone Forms](#) x [Add](#) x [AddItem](#) x [AddNew](#) x [CancelUpdate](#) x [Clone](#) x [Close \(method\)](#) x [CloseAllRecordsets](#) x [CloseConnection](#) x [CreateField](#) x [CreateQueryDef](#) x [CreateTableDef](#) x [CurrentDb](#) x [Delete](#) x [Delete \(table-query\)](#) x [Edit](#) x [EndExecute](#) x [Execute \(commandbarcontrol\)](#) x [Execute \(dialog\)](#) x [Execute \(query\)](#) x [getProperty](#) x [GetRows](#) x [hasProperty](#) x [Move](#) x [Move \(recordset\)](#) x [OpenConnection](#) x [OpenDatabase](#) x [OpenRecordset](#) x [OptionGroup \(Method\)](#) x [ReadAllBytes](#) x [ReadAllText](#) x [Refresh](#) x [Remove](#) x [RemoveAll](#) x [RemoveItem](#) x [Requery](#) x [Reset](#) x [RunSQL](#) x [SetFocus](#) x [setProperty](#) x [Start](#) x [Terminate](#) x [Update](#) x [WriteAllBytes](#) x [WriteAllText](#) x [Methods](#) x [Objects](#) x [Application](#) x [CommandBar](#) x [CommandBarControl](#) x [Control](#) x [Database](#) x [Dialog](#) x [DoCmd](#) x [Event](#) x [Field](#) x [Form](#) x [OptionGroup](#) x [Property](#) x [QueryDef](#) x [Recordset](#) x [SubForm](#) x [TableDef](#) x [TempVar](#) x [Properties](#) x [AbsolutePosition](#) x [AllowAdditions](#) x [AllowDeletions](#) x [AllowEdits](#) x [BackColor](#) x [BeginGroup](#) x [BOF, EOF](#) x [Bookmark](#) x [Bookmarkable](#) x [BorderColor](#) x [BorderStyle](#) x [BuiltIn](#) x [Cancel](#) x [Caption](#) x [ControlSource](#) x [ControlTipText](#) x [ControlType](#) x [Count](#) x [CurrentRecord](#) x [CurrentUser](#) x [DataType](#) x [DataUpdatable](#) x [Default](#) x [DefaultValue](#) x [Description](#) x [EditMode](#) x [Enabled](#) x [FieldSize](#) x [Filter](#) x [FilterOn](#) x [FontBold](#) x [FontItalic](#) x [FontName](#) x [FontSize](#) x [FontUnderline](#) x [FontWeight](#) x [ForeColor](#) x [Index](#) x [IsLoaded](#) x [Item](#) x [ItemData](#) x [LinkChildFields](#) x [LinkMasterFields](#) x [ListCount](#) x [ListIndex](#) x [Locked](#) x [MultiSelect](#) x [Name](#) x [ObjectType](#) x [OnAction](#) x [OpenArgs](#) x [OptionValue](#) x [OrderBy](#) x [OrderByOn](#) x [Page](#) x [Parent](#) x [ProductCode](#) x [RecordCount](#) x [Recordset \(property\)](#) x [RecordSource](#) x [Required](#) x [RowSource](#) x [RowSourceType](#) x [Selected](#) x [SelLength](#) x [SelStart](#) x [SelText](#) x [Size](#) x [SourceField](#) x [SourceTable](#) x [SQL](#) x [SubType](#) x [TabIndex](#) x [TabStop](#) x [Tag](#) x [Text](#) x

## Text

The *Text* property specifies the text displayed in a Control. This property is read-only.

tags:  
Properties

### Applies to ...

Object	Type when in a form	Type when in a GridControl	Type when in a dialog	Description
<b>Control</b>	<b>ComboBox</b> DateField FileControl FormattedField PatternField TextField TimeField	<b>ComboBox</b> DateField FormattedField PatternField TextField TimeField	<b>ComboBox</b> DateField FileControl FormattedField PatternField TextField TimeField	A control on an open form or dialog

### Syntax

*control*.Text

### Returned values

String

### Remarks

To set the text contained in a Control, use the **Value** property.

### Error messages

Property 'Text' not applicable in this context

## See also

---

## Value

## Example

---

Display the text as displayed in a DATEFIELD control (depends on the regional settings)

```
Dim ofForm As Object, ocDate As Object, vValue As Variant, sText As String
    Set ofForm = OpenForm("myForm")
    ocDate = ofForm.Controls("myDateField")
    sText = ocDate.Text
    vValue = ocDate.Value
    MsgBox sText & " - " & Day(vValue) & "/" & Month(vValue) & "/" & Year(vValue)
```

Bookmark this page » » [Text](#)