

[Home](#) x [Install](#) x [Full Index](#) x [Tutorial](#) x [EnumerateControls](#) x [FindOutTableExists](#) x
[UseVariablesInSQL](#) x [CreateRecordsetFrom](#) x [AddRecordToRecordset](#) x [CountRecordsRecordset](#) x
[LimitsRecordset](#) x [MixAccess2baseAndUNO](#) ! [User's Guide](#) x [AllForms](#) x [DatabaseWindow](#) x
[ShortcutNotationMore](#) x [DLookupSamples](#) x [CalculatedField](#) x [MultiSelectListBoxSelectForm](#) x
[FillAutoControlValue](#) x [CarryToNewRecord](#) x [BrowseThruControls](#) x [TipTextForLongValues](#) x
[AskBeforeSaving](#) x [Sync2Combos](#) x [ZoomOnImage](#) x [AddAllToBox](#) x [KeepFormsSynchro](#) x
[SelectListBoxOnFirstLetters](#) x [MoveItemsBetweenListboxes](#) x [SimulateTabbed](#) x [SearchStandalone](#) x
[CalculatorDialog](#) x [ExploreTables](#) x [ExtractDataTable](#) x [FindPositionRecordset](#) x [DMedian function](#) x
[DPercentile](#) x [ImportImages](#) x [ExportImages](#) x [CrossTabQuery](#) x [DbaccessFromCalc](#) x
[Standalone Forms](#) x [Add](#) x [AddItem](#) x [AddNew](#) x [CancelUpdate](#) x [Clone](#) x [Close \(method\)](#) x
[CloseAllRecordsets](#) x [CloseConnection](#) x [CreateField](#) x [CreateQueryDef](#) x [CreateTableDef](#) x
[CurrentDb](#) x [Delete](#) x [Delete \(table-query\)](#) x [Edit](#) x [EndExecute](#) x [Execute \(commandbarcontrol\)](#) x
[Execute \(dialog\)](#) x [Execute \(query\)](#) x [getProperty](#) x [GetRows](#) x [hasProperty](#) x [Move](#) x
[Move \(recordset\)](#) x [OpenConnection](#) x [OpenDatabase](#) x [OpenRecordset](#) x [OptionGroup \(Method\)](#) x
[ReadAllBytes](#) x [ReadAllText](#) x [Refresh](#) x [Remove](#) x [RemoveAll](#) x [RemoveItem](#) x [Requery](#) x
[Reset](#) x [RunSQL](#) x [SetFocus](#) x [setProperty](#) x [Start](#) x [Terminate](#) x [Update](#) x [WriteAllBytes](#) x
[WriteAllText](#) x [Methods](#) x [Objects](#) x [Application](#) x [CommandBar](#) x [CommandBarControl](#) x
[Control](#) x [Database](#) x [Dialog](#) x [DoCmd](#) x [Event](#) x [Field](#) x [Form](#) x [OptionGroup](#) x
[Property](#) x [QueryDef](#) x [Recordset](#) x [SubForm](#) x [TableDef](#) x [TempVar](#) x [Properties](#) x
[AbsolutePosition](#) x [AllowAdditions](#) x [AllowDeletions](#) x [AllowEdits](#) x [BackColor](#) x [BeginGroup](#) x
[BOF, EOF](#) x [Bookmark](#) x [Bookmarkable](#) x [BorderColor](#) x [BorderStyle](#) x [BuiltIn](#) x [Cancel](#) x
[Caption](#) x [ControlSource](#) x [ControlTipText](#) x [ControlType](#) x [Count](#) x [CurrentRecord](#) x
[CurrentUser](#) x [DataType](#) x [DataUpdatable](#) x [Default](#) x [DefaultValue](#) x [Description](#) x [EditMode](#) x
[Enabled](#) x [FieldSize](#) x [Filter](#) x [FilterOn](#) x [FontBold](#) x [FontItalic](#) x [FontName](#) x [FontSize](#) x
[FontUnderline](#) x [FontWeight](#) x [ForeColor](#) x [Index](#) x [IsLoaded](#) x [Item](#) x [ItemData](#) x
[LinkChildFields](#) x [LinkMasterFields](#) x [ListCount](#) x [ListIndex](#) x [Locked](#) x [MultiSelect](#) x [Name](#) x
[ObjectType](#) x [OnAction](#) x [OpenArgs](#) x [OptionValue](#) x [OrderBy](#) x [OrderByOn](#) x [Page](#) x
[Parent](#) x [ProductCode](#) x [RecordCount](#) x [Recordset \(property\)](#) x [RecordSource](#) x [Required](#) x
[RowSource](#) x [RowSourceType](#) x [Selected](#) x [SelLength](#) x [SelStart](#) x [SelText](#) x [Size](#) x
[SourceField](#) x [SourceTable](#) x [SQL](#) x [SubType](#) x [TabIndex](#) x [TabStop](#) x [Tag](#) x [Text](#) x
[TextAlign](#) x [TripleState](#) x [Type](#) x [Value](#) x [Version](#) x [Value \(field\)](#) x [Visible](#) x [Width](#) x
[Shortcuts](#) x [getObject](#) x [getValue](#) x [setValue](#) x [ShortCut Notation](#) x [Snippets of Code](#) x
[AbsolutePosition example](#) x [Access2Base vs. VBA](#) x [AddNew example](#) x [Addremoveitem example](#) x
[AllForms examples](#) x [ApplyFilter example](#) x [Bookmark example](#) x [Bookmark2 example](#) x
[Cancel & Default example](#) x [CancelUpdate example](#) x [Caption examples](#) x [Clone example](#) x
[Coding Conventions](#) x [Collection example](#) x [Color example](#) x [ComboBox example](#) x
[CommandBar example](#) x [CommandBarControl example](#) x [CommandBars example](#) x [Control example](#) x
[Controls examples](#) x [ControlSource example](#) x [ControlTipText example](#) x [ControlType example](#) x
[CopyObject example](#) x [Count example](#) x [CreateQueryDef example](#) x [CurrentDb example](#) x
[CreateTableDef example](#) x [CurrentRecord example](#) x [Datadef example](#) x [DataType example](#) x
[DebugPrint example](#) x [DefaultValue example](#) x [Delete \(table-query\) example](#) x [Delete example](#) x
[Dfunctions example](#) x [Dialog example](#) x [Edit example](#) x [Enabled & Locked example](#) x [Event example](#) x
[Execute query example](#) x [Filter example](#) x [Filter2 example](#) x [FindRecord example](#) x [Font example](#) x
[Format example](#) x [Forms examples](#) x [GetRows example](#) x [GoToRecord example](#) x
[Gridcontrol examples](#) x [Height & Width example](#) x [Identification example](#) x [IsLoaded example](#) x
[Item example](#) x [Linkfields example](#) x [ListBox example](#) x [Maximize example](#) x [Move example](#) x
[MoveSize example](#) x [Name example](#) x [OpenArgs example](#) x [Openconnection example](#) x
[Opendatabase example](#) x [Openform example](#) x [OpenRecordset example](#) x [Optiongroup example](#) x
[OptionValue example](#) x [OrderBy example](#) x [OutputTo example](#) x [Parent example](#) x [Properties example](#) x
[ReadAllBytes example](#) x [ReadAllText example](#) x [Recordsets example](#) x [RecordSource example](#) x
[Refresh example](#) x [Requery example](#) x [Required example](#) x [RowSource example](#) x [RunApp example](#) x
[RunCommand example](#) x [Runsql example](#) x [Selection example](#) x [SelectObject example](#) x
[SendObject example](#) x [SetFocus example](#) x [SetHiddenAttribute example](#) x [SetOrderBy example](#) x
[setProperty example](#) x [ShowAllRecords example](#) x [SQL example](#) x [Standalone Connect example](#) x

Standalone Connect example

Connect all standalone form contained in a non-Base document to their target databases:

tags:
Snippets of Code

```

Sub DBOpen(Optional poEvent As Object)
    If GlobalScope.BasicLibraries.hasByName("Access2Base") then
        GlobalScope.BasicLibraries.loadLibrary("Access2Base")
    
```

```
End If  
Call Application.OpenConnection(ThisComponent)  
End Sub
```

Bookmark this page » » [Standalone Connect example](#)